

❖ **IMPACT SOCKET**
Industrial



Industrial Impact Socket

SUMAKE Company Profile

Sumake is a manufacturer and exporter specializing in professional high quality pneumatic tools, compressors and accessories suited to a wide range of applications including industrial and automotive.

We are an innovative company.

As a result of constant research and investment we keep at the forefront of current technology and design, thus providing energy efficient, durable and reliable products to industrial markets around the world.

We offer a wide, comprehensive range of CE certified tools and accessories including: Impact Wrenches, Ratchet Wrenches, Sanders, Screwdrivers, Spray Guns, Riveters, Nail Guns and Bradders, just to name a few.

Certified to ISO 9001 we run efficient well organized computerised Q.C. ensure we meet quality, packaging and delivery benchmarks. We guarantee our customers complete spare parts back up for everything we provide.

Superior service to our customers is not a goal, it's a reality.

Sumake, partners in business.




SUMAKE attended many international exhibitions and has been known for variety high-end innovations with vivid posters.

Our spotlighted showcase can not only catch your eye but try your hand to experience in person.


Index

1/4"	Regular & Deep Impact Socket (CR-MO Steel)	01
3/8"	Regular & Deep Impact Socket, Impact Universal Socket (CR-MO/CR-VA Steel)	02 - 03
1/2"	Regular & Deep Impact Socket, Impact Universal Socket (CR-MO/CR-VA Steel)	04 - 05
3/4"	Regular & Deep Impact Socket (CR-MO Steel)	06 - 07
1"	Regular & Deep Impact Socket (CR-MO Steel)	08 - 09
1-1/2"	Regular & Impact Socket (CR-MO Steel)	10
Set	Impact Socket Set	11 - 12
Acc.	Adapter, Universal Joint, Extension bar, O-Ring, Pin	13

1/4" Dr. Impact Socket (CR-MO Steel)



Shape A




Shape C


Model	(mm)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
243203	3	6	13	23	13	A
2432035	3.5	7	13	23	13	
243204	4	7.5	13	23	13	
2432045	4.5	8	13	23	13	
243205	5	9	13	23	13	
2432055	5.5	9.5	13	23	13	
243206	6	10	13	23	13	
243207	7	11	13	23	13	
243208	8	12	13	23	13	
243209	9	14	13	23	16	
243210	10	15	13	23	16	C
243211	11	16	13	23	20	
243212	12	17	13	23	22	
243213	13	18	13	23	22	
243214	14	20	13	23	22	
243215	15	21	13	23	23	

Model	(inch)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
263200	1/8	6	13	25	12	A
263201	5/32	7.6	13	25	12	
263202	3/16	8	13	25	12	
263204	7/32	9	13	25	12	
263206	1/4	10	13	25	12	
263208	9/32	11	13	25	13	
263210	5/16	12	13	25	13	C
263211	11/32	14	13	25	13	
263212	3/8	15	13	25	16	
263214	7/16	16	13	25	20	
263216	1/2	18	13	25	22	
263218	9/16	20	13	25	22	

1/4" Dr. Deep Impact Socket (CR-MO Steel)



Shape A




Shape C


Model	(mm)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
246304	4	7.5	13	50	13	A
2463045	4.5	8	13	50	13	
246305	5	9	13	50	13	
2463055	5.5	10	13	50	13	
246306	6	10	13	50	13	
246307	7	11	13	50	13	
246308	8	12	13	50	13	
246309	9	14	13	50	16	C
246310	10	15	13	50	16	
246311	11	16	13	50	20	
246312	12	17	13	50	22	
246313	13	18	13	50	25	
246314	14	20	13	50	27	
246315	15	21	13	50	29	

Model	(inch)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
266302	3/16	8	13	50		A
266304	7/32	9	13	50		
266306	1/4	10	13	50		
266308	9/32	11	13	50		
266310	5/16	12	13	50		
266311	11/32	14	13	50		C
266312	3/8	15	13	50		
266314	7/16	16	13	50		
266316	1/2	18	13	50		
266318	9/16	20	13	50		


3/8" Dr. Impact Socket (CR-MO Steel)



Shape A



Shape B




Shape C

Model	⌀ (mm)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
343206	6	11	19	32	35	A
343207	7	12	19	32	36	
343208	8	13	19	32	32	
343209	9	14	19	32	34	
343210	10	15	19	32	36	
343211	11	17	19	32	38	
343212	12	18	19	32	37	
343213	13	20	22	32	53	
343214	14	21	22	32	54	B
343215	15	22	22	32	54	
343216	16	24	22	32	65	C
343217	17	26	22	32	60	
343218	18	26	22	32	69	
343219	19	28	22	32	72	
343220	20	30	22	32	77	
343221	21	30	22	32	71	
343222	22	32	22	32	76	
343223	23	33	22	32	78	
343224	24	34	22	32	82	

Model	⌀ (inch)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
363210	5/16	14	19	32	42	A
363212	3/8	16	19	32	36	
363214	7/16	17	19	32	36	
363216	1/2	20	22	32	55	
363218	9/16	21	22	32	60	
363220	5/8	24	22	32	60	C
363222	11/16	26	22	32	65	
363224	3/4	28	22	32	65	
363226	13/16	30	22	32	73	
363228	7/8	32	22	32	74	
363230	15/16	34	22	32	193	
363232	1	36	22	32	214	
363234	1-1/16	38	22	32	253	
363236	1-1/4	44	22	32	290	


3/8" Dr. Impact Universal Socket (CR-VA Steel)




Model	⌀ (mm)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)
380010M	10	20	20	57	60
380011M	11	20	20	57	80
380012M	12	20	20	57	60
380013M	13	20	20	57	80
380014M	14	22	20	57	60
380015M	15	23	20	57	80
380016M	16	23	20	57	100
380017M	17	24	20	57	100
380018M	18	28	20	57	120
380019M	19	28	20	57	120

Model	⌀ (inch)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)
380020	5/16	20	20	57	100
380022	3/8	20	20	57	100
380023	7/16	20	20	57	120
380024	1/2	20	20	57	120
380025	9/16	22	20	57	100
380026	5/8	24	20	57	100
380027	11/16	26	20	57	100
380028	3/4	27	20	57	120


3/8" Dr. Deep Impact Socket (CR-MO Steel)



Shape A



Shape B




Shape C

Model	⌀ (mm)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
316306G	6	11	19	63	74	A
316307G	7	12	19	63	71	
316308G	8	13	19	63	71	
316309G	9	14	19	63	74	
316310G	10	16	19	63	74	
316311G	11	17	19	63	83	
316312G	12	18	19	63	78	
316313G	13	20	22	63	102	
316314G	14	21	22	63	106	
316315G	15	22	22	63	111	
316316G	16	24	22	63	120	B
316317G	17	26	22	63	134	C
316318G	18	26	22	63	132	
316319G	19	27	22	63	155	
316320G	20	30	22	63	175	
316321G	21	30	22	63	177	
316322G	22	32	22	63	199	
316323G	23	32	22	63	235	
316324G	24	34	22	63	297	

Model	⌀ (inch)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	
396310G	5/16	14	19	63	69	A
396312G	3/8	16	19	63	76	
396314G	7/16	18	19	63	77	
396316G	1/2	18	22	63	83	
396318G	9/16	21	22	63	116	
396320G	5/8	24	22	63	129	C
396322G	11/16	26	22	63	140	
396324G	3/4	27	22	63	157	
396326G	13/16	30	22	63	180	
396328G	7/8	32	22	63	190	
396330G	15/16	34	22	63	200	
396332G	1	36	22	63	212	


3/8" Dr. Deep Impact Universal Socket (CR-VA Steel)




Model	⌀ (mm)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)
381010M	10	20	20	97	220
381011M	11	20	20	97	220
381012M	12	20	20	97	220
381013M	13	20	20	97	200
381014M	14	22	20	97	200
381015M	15	23	20	97	200
381016M	16	23	20	97	200
381017M	17	24	20	97	220
381018M	18	28	20	97	220
381019M	19	28	20	97	220

Model	⌀ (inch)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)
381020	5/16	20	20	97	220
381022	3/8	20	20	97	220
381023	7/16	20	20	97	200
381024	1/2	20	20	97	220
381025	9/16	22	20	97	200
381026	5/8	24	20	97	220
381027	11/16	26	20	97	220
381028	3/4	27	20	97	220


1/2" Dr. Impact Socket (CR-MO Steel)



Shape A



Shape B



Shape C


Model	(mm)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
444008	8	15	24	38	56	A
444009	9	15	24	38	57	
444010	10	17	24	38	59	
444011	11	19	24	38	63	
444012	12	20	24	38	65	
444013	13	21	24	38	67	
444014	14	22	24	38	71	
444015	15	24	24	38	78	
444016	16	24	24	38	74	B
444017	17	26	26	38	87	
444018	18	28	28	38	108	
444019	19	28	28	38	104	
444020	20	30	30	38	126	
444021	21	30	30	38	121	
444022	22	32	30	38	130	C
444023	23	32	30	38	119	
444024	24	34	30	38	129	

Model	(mm)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
444025	25	36	30	43	160	C
444026	26	36	30	43	160	
444027	27	38	30	43	171	
444028	28	40	30	48	188	
444029	29	40	30	48	214	
444030	30	42	30	48	210	
444031	31	44	30	48	222	
444032	32	44	30	48	224	
444033	33	47	30	48	236	
444034	34	47	30	48	248	
444035	35	48	30	48	260	
444036	36	49	30	48	272	
444038	38	52	30	48	296	
444039	39	54	44	48	308	
444041	41	56	44	48	332	
444046	46	60	44	48	380	
444052	52	70	44	62	440	

Model	(inch)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
464010	5/16	15	24	38	59	A
464012	3/8	17	24	38	60	
464014	7/16	19	24	38	62	
464016	1/2	20	24	38	66	
464018	9/16	22	24	38	69	
464020	5/8	24	24	38	74	
464022	11/16	26	26	38	88	B
464024	3/4	28	28	38	90	
464026	13/16	30	30	38	123	
464028	7/8	32	30	38	133	C

Model	(inch)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
464030	15/16	34	30	38	130	C
464032	1	36	30	38	136	
464034	1-1/16	38	30	43	200	
464036	1-1/8	40	30	48	207	
464038	1-3/16	42	30	48	203	
464040	1-1/4	44	30	48	237	
464042	1-5/16	46	30	48	271	
464044	1-3/8	48	43	48	370	
464046	1-7/16	50	43	48	375	
464048	1-1/2	52	43	48	375	


1/2" Dr. Impact Universal Socket (CR-VA Steel)




Model	(mm)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)
480013M	13	24	24	62	151
480014M	14	24	24	62	151
480015M	15	24	24	62	142
480016M	16	24	24	62	144
480017M	17	26	24	62	151
480018M	18	28	24	62	158
480019M	19	28	24	62	164
480021M	21	30	24	62	167
480022M	22	32	24	62	169

Model	(inch)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)
480023	3/8	24	24	62	161
480024	7/16	24	24	62	164
480025	1/2	24	24	62	157
480026	9/16	24	24	62	146
480027	5/8	24	24	62	146
480028	11/16	26	24	62	151
480029	3/4	28	24	62	157
480030	13/16	30	24	62	164
480031	7/8	32	24	62	168


1/2" Dr. Deep Impact Socket (CR-MO Steel)



Shape A



Shape B



Shape C


Model	⌀ (mm)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
417808G	8	15	24	78	134	A
417809G	9	16	24	78	142	
417810G	10	17	24	78	144	
417811G	11	19	24	78	148	
417812G	12	20	24	78	154	
417813G	13	21	24	78	149	
417814G	14	22	24	78	157	
417815G	15	24	24	78	176	
417816G	16	24	24	78	159	
417817G	17	26	26	78	185	
417818G	18	28	28	78	230	B
417819G	19	28	28	78	228	
417820G	20	30	30	78	245	
417821G	21	30	30	78	243	
417822G	22	32	30	78	243	C
417823G	23	32	30	78	279	
417824G	24	34	30	78	303	

Model	⌀ (mm)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
417825G	25	36	30	78	289	C
417826G	26	36	30	78	327	
417827G	27	38	30	78	351	
417828G	28	40	30	78	359	
417829G	29	40	30	78	338	
417830G	30	42	30	78	383	
417831G	31	42	30	78	399	
417832G	32	44	30	78	415	
417833G	33	46	38	78	503	
417834G	34	47	38	78	503	
417835G	35	48	38	78	509	
417836G	36	49	38	78	556	
417838G	38	52	38	78	660	
417839G	39	54	38	78	707	
417840G	40	55	38	78	730	
417841G	41	56	38	78	752	
417846G	46	60	38	78	799	

Model	⌀ (inch)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
497810G	5/16	15	24	78	150	A
497812G	3/8	17	24	78	150	
497814G	7/16	19	24	78	150	
497816G	1/2	21	24	78	161	
497818G	9/16	22	24	78	168	
497820G	5/8	24	24	78	158	
497822G	11/16	26	26	78	199	B
497824G	3/4	28	28	78	250	
497826G	13/16	30	30	78	259	
497828G	7/8	32	30	78	269	

Model	⌀ (inch)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
497830G	15/16	34	30	78	287	C
497832G	1	36	30	78	308	
497834G	1-1/16	38	30	78	351	
497836G	1-1/8	40	30	78	351	
497838G	1-3/16	42	30	78	386	
497840G	1-1/4	44	30	78	417	
497842G	1-5/16	46	30	78	448	
497844G	1-3/8	48	38	78	479	
497846G	1-7/16	49	38	78	510	
497848G	1-1/2	52	38	78	660	


1/2" Dr. Deep Impact Universal Socket (CR-VA Steel)




Model	⌀ (mm)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)
481013M	13	24	24	97	258
481014M	14	24	24	97	259
481015M	15	24	24	97	237
481016M	16	24	24	97	222
481017M	17	26	24	97	243
481018M	18	28	24	97	293
481019M	19	28	24	97	250
481021M	21	30	24	97	268
481022M	22	32	24	97	286

Model	⌀ (inch)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)
481023	3/8	24	24	97	263
481024	7/16	24	24	97	253
481025	1/2	24	24	97	233
481026	9/16	24	24	97	259
481027	5/8	24	24	97	265
481028	11/16	26	24	97	279
481029	3/4	28	24	97	300
481030	13/16	30	24	97	321
481031	7/8	32	24	97	342

3/4" Dr. Impact Socket (CR-MO Steel)



Shape A



Shape B



Shape C

Model	⌀ (mm)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
645217	17	30	38	51	228	A
645218	18	31	38	51	239	
645219	19	32	38	51	243	
645220	20	33	38	51	327	
645221	21	34	38	51	339	
645222	22	35	38	51	346	
645223	23	36	38	51	349	
645224	24	38	38	51	352	B
645225	25	38	38	51	352	
645226	26	38	38	51	340	
645227	27	40	40	53	374	
645228	28	40	40	53	395	
645229	29	42	42	53	319	
645230	30	44	44	53	352	C
645231	31	47	44	53	409	
645232	32	48	44	57	465	
645233	33	48	44	57	482	
645234	34	48	44	57	463	
645235	35	50	44	57	444	
645236	36	52	44	57	469	
645237	37	55	44	57	496	
645238	38	56	44	57	523	
645239	39	58	44	57	532	
645240	40	59	44	57	547	
645241	41	60	44	57	565	

Model	⌀ (mm)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
645242	42	61	44	57	596	C
645243	43	63	44	62	578	
645244	44	64	44	62	584	
645245	45	65	44	62	666	
645246	46	66	44	62	667	
645247	47	68	44	67	717	
645248	48	69	44	67	712	
645249	49	70	44	72	768	
645250	50	71	54	72	822	
645251	51	73	54	72	848	
645252	52	74	54	72	1058	
645253	53	75	54	72	1110	
645254	54	76	54	72	1196	
645255	55	78	54	74	1231	
645256	56	79	54	74	1256	
645257	57	80	54	74	1304	
645258	58	82	54	75	1443	
645259	59	83	54	75	1461	
645260	60	84	54	75	1400	
645262	62	87	54	75	1500	
645263	63	88	54	75	1598	
645265	65	90	54	78	1659	
645267	67	93	54	80	1640	
645270	70	96	54	83	1676	


Model	⌀ (inch)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
665222	11/16	30	38	51	318	A
665224	3/4	32	38	51	320	
665226	13/16	34	38	51	323	
665228	7/8	38	38	51	339	
665230	15/16	38	38	51	347	
665232	1	38	38	51	360	
665234	1-1/16	40	40	53	380	B
665236	1-1/8	42	42	53	401	
665238	1-3/16	44	44	53	390	C
665240	1-1/4	48	44	57	443	
665242	1-5/16	48	44	57	470	
665244	1-3/8	50	44	57	482	
665246	1-7/16	52	44	57	500	
665248	1-1/2	56	44	57	518	
665250	1-9/16	59	44	57	571	
665252	1-5/8	60	44	57	680	

Model	⌀ (inch)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
665254	1-11/16	63	44	62	687	C
665256	1-3/4	65	44	62	770	
665258	1-13/16	66	44	62	860	
665260	1-7/8	69	44	62	948	
665262	1-15/16	70	44	62	1126	
665264	2	73	54	72	1168	
665266	2-1/16	74	54	72	1200	
665268	2-1/8	76	54	72	1368	
665270	2-3/16	80	54	72	1400	
665272	2-1/4	80	54	75	1444	
665274	2-5/16	82	54	75	1500	
665276	2-3/8	84	54	75	1536	
665280	2-1/2	88	55	80	1600	
665282	2-9/16	90	54	80	1650	
665284	2-5/8	92	54	80	1650	
665288	2-3/4	96	54	83	1650	

3/4" Dr. Deep Impact Socket (CR-MO Steel)



Shape A



Shape B



Shape C


Model	⌀ (mm)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
649517	17	30	44	90	596	A
649518	18	31	44	90	609	
649519	19	33	44	90	620	
649520	20	34	44	90	616	
649521	21	35	44	90	633	
649522	22	37	44	90	645	
649523	23	38	44	90	638	
649524	24	39	44	90	620	
649525	25	40	44	90	662	
649526	26	41	44	90	674	
649527	27	43	44	90	624	B
649528	28	44	44	90	627	
649529	29	45	44	90	636	C
649530	30	46	44	90	670	
649531	31	48	44	90	705	
649532	32	49	44	90	680	
649533	33	51	44	90	769	
649534	34	51	44	90	776	
649535	35	53	44	90	796	

Model	⌀ (mm)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
649536	36	54	44	90	814	C
649537	37	55	44	90	842	
649538	38	56	44	90	848	
649540	40	59	44	90	910	
649541	41	60	44	90	970	
649542	42	61	44	90	980	
649543	43	63	44	90	1029	
649544	44	64	44	90	1078	
649545	45	65	44	90	1159	
649546	46	66	44	90	1325	
649547	47	68	44	90	1200	
649548	48	69	44	90	1200	
649549	49	70	44	90	1161	
649550	50	71	54	90	1360	
649552	52	74	54	90	1390	
649555	55	77	54	100	1390	
649560	60	83	54	100	1850	
649565	65	88	54	100	1900	


Model	⌀ (inch)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
669522	11/16	31	44	90	604	A
669524	3/4	33	44	90	600	
669526	13/16	35	44	90	613	
669528	7/8	37	44	90	622	
669530	15/16	39	44	90	639	
669532	1	41	44	90	670	
669534	1-1/16	43	44	90	640	C
669536	1-1/8	45	44	90	660	
669538	1-3/16	46	44	90	640	
669540	1-1/4	49	44	90	724	
669542	1-5/16	51	44	90	760	

Model	⌀ (inch)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
669544	1-3/8	53	44	90	800	C
669546	1-7/16	55	44	90	832	
669548	1-1/2	56	44	90	830	
669550	1-9/16	59	44	90	920	
669552	1-5/8	60	44	90	940	
669554	1-11/16	63	44	90	1010	
669556	1-3/4	65	44	90	1067	
669558	1-13/16	66	44	90	1130	
669560	1-7/8	69	44	90	870	
669562	1-15/16	70	44	90	1260	
669564	2	73	54	99	1386	

1" Dr. Impact Socket (CR-MO Steel)



Shape A



Shape B



Shape C


Model	(mm)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
847016	16	32	54	58	400	A
847017	17	33	54	58	522	
847018	18	35	54	58	532	
847019	19	36	54	58	504	
847020	20	37	54	58	516	
847021	21	38	54	58	529	
847022	22	39	54	58	544	
847023	23	40	54	58	554	
847024	24	42	54	58	561	
847025	25	43	54	58	562	
847026	26	44	54	58	569	B
847027	27	46	54	58	573	
847028	28	47	54	58	575	C
847029	29	48	54	60	613	
847030	30	49	54	60	617	
847031	31	51	54	60	621	
847032	32	52	54	60	667	
847033	33	53	54	60	695	
847034	34	54	54	62	675	
847035	35	56	54	62	686	
847036	36	57	54	62	741	
847037	37	58	54	65	765	
847038	38	59	54	65	784	C
847039	39	61	54	65	800	
847040	40	62	54	65	842	
847041	41	63	54	65	834	
847042	42	64	54	68	904	
847043	43	66	54	68	947	
847044	44	67	54	68	964	
847045	45	68	54	74	952	
847046	46	69	54	74	1091	
847047	47	71	54	74	1126	
847048	48	72	54	74	1145	C
847049	49	73	54	74	1121	

Model	(mm)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
847050	50	74	54	74	1187	C
847051	51	76	54	80	1297	
847052	52	77	54	80	1345	
847053	53	78	54	80	1446	
847054	54	79	54	80	1442	
847055	55	81	54	85	1546	
847056	56	82	54	85	1617	
847057	57	83	54	85	1613	
847058	58	84	54	85	1546	
847059	59	86	54	85	1606	
847060	60	87	54	90	1779	C
847062	62	89	54	90	1817	
847063	63	91	54	90	1943	
847064	64	93	54	90	2102	
847065	65	93	54	90	2016	
847067	67	94	54	90	2016	
847068	68	97	54	90	2173	
847070	70	99	54	100	2560	
847073	73	103	86	100	3486	
847075	75	105	86	100	3510	
847076	76	107	86	100	3590	C
847077	77	108	86	100	3674	
847078	78	110	86	100	3873	
847080	80	112	86	100	4437	
847085	85	117	86	110	4719	
847089	89	123	86	110	5001	
847090	90	124	86	110	5181	
847092	92	127	86	110	5361	
847095	95	129	86	110	5541	
8470100	100	136	86	115	5721	
8470105	105	142	86	115	5706	C
8470110	110	148	86	115	5736	
8470115	115	154	86	115	5751	


Model	(inch)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
867020	5/8	32	54	58	410	A
867022	11/16	33	54	58	585	
867024	3/4	34	54	58	504	
867026	13/16	36	54	58	529	
867028	7/8	40	54	58	544	
867030	15/16	42	54	58	561	
867032	1	44	54	58	553	
867034	1-1/16	46	54	58	573	
867036	1-1/8	47	54	60	612	
867038	1-3/16	49	54	60	617	
867040	1-1/4	52	54	60	667	A
867042	1-5/16	53	54	62	666	
867044	1-3/8	55	54	62	692	
867046	1-7/16	58	54	65	765	
867048	1-1/2	59	54	65	784	
867050	1-9/16	62	54	65	842	
867052	1-5/8	63	54	65	846	
867054	1-11/16	66	54	68	947	
867056	1-3/4	67	54	68	938	
867058	1-13/16	67	54	74	1091	C
867060	1-7/8	72	54	74	1150	
867062	1-15/16	73	54	74	1127	
867064	2	74	54	80	1297	
867066	2-1/16	78	54	80	1345	
867068	2-1/8	78	54	80	1442	
867070	2-3/16	80	54	85	1617	

Model	(inch)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
867072	2-1/4	83	54	85	1613	C
867074	2-5/16	86	54	85	1606	
867076	2-3/8	87	54	90	1779	
867078	2-7/16	89	54	90	1943	
867080	2-1/2	91	54	90	2022	
867082	2-9/16	93	54	90	2102	
867084	2-5/8	96	54	90	2211	
867086	2-11/16	97	54	90	2256	
867088	2-3/4	99	54	100	2560	
867090	2-13/16	101	86	100	3237	
867092	2-7/8	103	86	100	3392	C
867094	2-15/16	104	86	100	3486	
867096	3	107	86	100	3675	
867098	3-1/16	109	86	100	3638	
8670100	3-1/8	111	86	100	3828	
8670104	3-1/4	115	86	100	3987	
8670108	3-3/8	118	86	110	3950	
8670112	3-1/2	123	86	110	4738	
8670116	3-5/8	127	86	110	4540	
8670120	3-3/4	130	86	110	5001	C
8670124	3-7/8	134	86	110	5188	
8670128	4	138	86	115	5375	
8670132	4-1/8	142	86	115	5562	
8670136	4-1/4	148	86	115	5749	C
8670120	4-1/2	156	86	115	6001	


1" Dr. Deep Impact Socket (CR-MO Steel)



Shape A



Shape B



Shape C


Model	(mm)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
849516	16	33	54	90	610	A
849517	17	33	54	90	787	
849518	18	35	54	90	789	
849519	19	36	54	90	791	
849520	20	37	54	90	806	
849521	21	38	54	90	822	
849522	22	39	54	90	854	
849523	23	40	54	90	902	
849524	24	42	54	90	879	
849525	25	43	54	90	870	
849526	26	44	54	90	880	B
849527	27	46	54	90	908	
849528	28	47	54	90	936	
849529	29	48	54	90	926	
849530	30	49	54	90	943	
849531	31	51	54	90	991	
849532	32	52	54	90	976	
849533	33	53	54	90	966	
849534	34	54	54	90	992	
849535	35	56	54	90	974	C
849536	36	57	54	90	1005	
849537	37	58	54	90	1029	
849538	38	59	54	90	1056	
849539	39	61	54	90	1068	
849540	40	62	54	90	1135	
849541	41	63	54	90	1148	
849542	42	64	54	90	120	
849543	43	66	54	90	1247	
849544	44	67	54	90	1375	
849545	45	68	54	90	1439	C
849546	46	69	54	90	1503	
849547	47	71	54	90	1326	

Model	(mm)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
849548	48	72	54	90	1540	C
849549	49	73	54	90	1614	
849550	50	74	54	90	1614	
849551	51	76	54	90	1613	
849552	52	77	54	90	1657	
849553	53	78	54	90	1719	
849554	54	79	54	90	1787	
849555	55	81	54	90	1814	
849556	56	82	54	105	1913	
849557	57	83	54	105	2066	
849558	58	84	54	105	2114	C
849559	59	86	54	120	2183	
849560	60	87	54	120	2393	
849562	62	89	54	120	2574	
849563	63	91	54	120	2635	
849564	64	93	54	120	2698	
849565	65	93	54	120	2761	
849567	67	94	54	120	3109	
849568	68	97	54	120	3225	
849570	70	99	54	125	3235	
849575	75	105	86	125	4546	C
849576	76	107	86	125	4448	
849577	77	108	86	125	4399	
849578	78	110	86	125	4375	
849580	80	112	86	125	4351	
849585	85	117	86	140	5938	
849590	90	124	86	140	6125	
849595	95	129	86	140	6312	
8495100	100	136	86	140	6499	
8495105	105	142	86	155	6686	
8495110	110	148	86	155	6873	C
8495115	115	154	86	155	7060	


Model	(inch)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
869520	5/8	32	54	90	650	A
869522	11/16	33	54	90	780	
869524	3/4	34	54	90	792	
869526	13/16	36	54	90	822	
869528	7/8	40	54	90	854	
869530	15/16	42	54	90	879	
869532	1	44	54	90	870	
869534	1-1/16	46	54	90	908	
869536	1-1/8	47	54	90	925	
869538	1-3/16	49	54	90	943	
869540	1-1/4	52	54	90	976	C
869542	1-5/16	53	54	90	966	
869544	1-3/8	55	54	90	974	
869546	1-7/16	58	54	90	1029	
869548	1-1/2	59	54	90	1057	
869550	1-9/16	62	54	90	1115	
869552	1-5/8	63	54	90	1148	
869554	1-11/16	66	54	90	1247	
869556	1-3/4	67	54	90	1251	
869558	1-13/16	67	54	90	1503	C
869560	1-7/8	72	54	90	1540	
869562	1-15/16	73	54	90	1614	
869564	2	74	54	90	1681	
869566	2-1/16	78	54	90	1745	
869568	2-1/8	78	54	90	1787	
869570	2-3/16	80	54	105	1913	

Model	(inch)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
869572	2-1/4	83	54	105	2066	C
869574	2-5/16	86	54	120	2176	
869576	2-3/8	87	54	120	2393	
869578	2-7/16	89	54	120	2635	
869580	2-1/2	91	54	120	3070	
869582	2-9/16	93	54	120	2761	
869584	2-5/8	96	54	120	3210	
869586	2-11/16	97	54	120	2953	
869588	2-3/4	99	54	125	3235	
869590	2-13/16	101	86	125	3667	
869592	2-7/8	103	86	125	4100	C
869594	2-15/16	104	86	125	4546	
869596	3	107	86	125	4618	
869598	3-1/16	109	86	125	4611	
8695100	3-1/8	111	86	125	4306	
8695104	3-1/4	115	86	125	4500	
8695108	3-3/8	118	86	140	4685	
8695112	3-1/2	123	86	140	4870	
8695116	3-5/8	127	86	140	5055	
8695120	3-3/4	130	86	140	5240	C
8695124	3-7/8	134	86	155	5425	
8695128	4	138	86	155	5610	
8695132	4-1/8	142	86	155	5800	
8695136	4-1/4	148	86	155	5980	C
8695142	4-1/2	156	86	155	6165	


1-1/2" Dr. Impact Socket (CR-MO Steel)



Shape A



Shape B



Shape C

Model	(mm)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
901030	30	56	86	78	1530	A
901032	32	58	86	78	1552	
901036	36	64	86	78	2200	
901038	38	66	86	78	2200	
901041	41	68	86	80	1960	
901046	46	74	86	84	2230	
901050	50	81	86	84	2166	
901052	52	82	86	84	2420	
901054	54	84	86	84	2420	B
901055	55	86	86	90	3341	
901058	58	90	86	90	3550	C
901060	60	92	86	90	3558	
901063	63	96	86	95	3580	
901065	65	98	86	95	3945	
901070	70	104	86	100	3369	
901075	75	110	86	105	3636	

Model	(mm)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
901080	80	116	86	112	4223	C
901085	85	124	86	112	4762	
901090	90	130	86	112	5058	
901095	95	135	95	112	5586	
901100	100	140	95	125	5945	
901105	105	148	95	125	6985	
901110	110	154	95	125	7254	
901115	115	160	95	135	9730	
901120	120	166	127	135	10480	
901125	125	172	127	135	11300	
901130	130	178	127	140	12000	
901135	135	184	127	145	12620	
901140	140	190	127	150	13000	
901145	145	196	127	155	13050	
901150	150	202	127	160	18900	
901155	155	214	127	165	21000	

Model	(inch)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
921050	1-9/16	68	86	80	1885	A
921054	1-11/16	72	86	80	1985	
921056	1-3/4	74	86	84	2115	
921060	1-7/8	78	86	84	2210	

Model	(inch)	D1 (mm)	D2 (mm)	L (mm)	Weight (g)	Shape
921066	2-1/16	83	86	84	2285	A
921074	2-5/16	90	86	90	2830	C
921080	2-1/2	96	86	95	2840	
921090	2-7/8	108	86	105	3640	

3/8", 1/2" Dr. Impact Socket Set



3/8" Deep Impact Socket Set (CR-VA Steel) Metal Box

Model	Pieces	Drive	Contents
SIS-3301	8	3/8"	8,10, 11, 13, 14, 16, 17, 19 mm
SIS-3302	8	3/8"	5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"



3/8" Impact Socket Set (CR-VA Steel) Metal Box

Model	Pieces	Drive	Contents
SIS-3303	8	3/8"	10, 11, 12, 13, 14, 16, 17, 19 mm
SIS-3304	8	3/8"	5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"



3/8" Impact Socket Set (CR-MO Steel) Metal Box

Model	Pieces	Drive	Contents
SIS-3305	8	3/8"	8, 10, 11, 12, 13, 14, 17, 19 mm
SIS-3306	8	3/8"	5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"



3/8" Impact Universal Socket (CR-VA Steel) Metal Box

Model	Pieces	Drive	Contents
SIS-3307	7	3/8"	10, 11, 12, 13, 14, 16, 17 mm
SIS-3308	7	3/8"	3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"



1/2" Deep Impact Socket Set (CR-VA Steel) Metal Box

Model	Pieces	Drive	Contents
SIS-4401	10	1/2"	11, 12, 13, 14, 16, 17, 19, 21, 22, 24 mm
SIS-4402	10	1/2"	7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"



1/2" Impact Universal Socket (CR-VA Steel) Metal Box

Model	Pieces	Drive	Contents
SIS-4407	7	1/2"	13, 14, 15, 17, 18, 19, 21 mm
SIS-4408	7	1/2"	1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"



1/2" Impact Socket Set (CR-VA Steel) Metal Box

Model	Pieces	Drive	Contents
SIS-4403	10	1/2"	11, 12, 13, 14, 16, 17, 19, 21, 22, 24 mm
SIS-4404	10	1/2"	17/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"



1/2" Impact Spline Bit Socket Set (CR-MO Steel) Metal Box

Model	Pieces	Drive	Length	Contents
SIS-4440	6	1/2"	60mm	8, 10, 12, 14, 16, 18 mm



1/2" Impact Socket Set (CR-MO Steel) METAL BOX

Model	Pieces	Drive	Contents
SIS-4405	9	1/2"	11, 12, 13, 14, 16, 17, 19, 21, 22 mm
SIS-4406	9	1/2"	3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"



1/2" Deep Thin wall Impact Socket Set (CR-MO Steel) Blow Box

Model	Pieces	Drive	Length	Contents
SIS-4421	3	1/2"	85mm	17, 19, 21 mm
SIS-4425	3	1/2"	150mm	17, 19, 21 mm

3/4", 1" Dr. Impact Socket Set



3/4" Deep Impact Socket Set (CR-MO Steel) Metal Box

Model	Pieces	Drive	Contents
SIS-6601	8	3/4"	26, 27, 29, 30, 32, 35, 36, 38 mm
SIS-6602	8	3/4"	1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2"



3/4" Impact Socket Set (CR-MO Steel) Metal Box

Model	Pieces	Drive	Contents
SIS-6603	8	3/4"	26, 27, 29, 30, 32, 35, 36, 38 mm
SIS-6604	8	3/4"	1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2"



3/4" Impact Socket Set (CR-MO Steel) Metal Box

Model	Pieces	Drive	Contents
SIS-6608	8	3/4"	17, 19, 22, 24, 27, 30, 32, 36 mm



3/4" Impact Socket Set (CR-MO Steel) Blow Box

Model	Pieces	Drive	Contents
SIS-6630	10	3/4"	24, 27, 30, 32, 34, 36, 41, 46 mm + O-Ring + Pin



1" Deep Impact Socket Set (CR-MO Steel) Metal Box

Model	Pieces	Drive	Contents
SIS-8801	7	1"	17SQ, 24, 27, 30, 34, 35, 38 mm
SIS-8802	7	1"	13/16"SQ, 15/16", 1", 1-1/16", 1-1/8", 1-1/4", 1-1/2"



1" Impact Socket Set (CR-MO Steel) Blow Box

Model	Pieces	Drive	Contents
SIS-8830	11	1"	24, 27, 30, 32, 33, 36, 38, 41, 46 mm + O-Ring + Pin



1" Impact Socket Set (CR-MO Steel) Metal Box


Model	Pieces	Drive	Contents
SIS-8805	8	1"	24, 27, 30, 32, 33, 36, 41, 46 mm



1" Impact Socket Set (CR-MO Steel) Metal Box


Model	Pieces	Drive	Contents
SIS-8803	9	1"	24, 27, 30, 32, 35, 38, 41, 46, 50 mm
SIS-8804	9	1"	1", 1-1/8", 1-1/4", 1-3/8", 1-1/2", 1-5/8", 1-3/4", 1-7/8", 2"

Accessories




Adapter (CR-MO Steel)

Model	Female Drive	Male Drive	L (mm)
240203	1/4"	3/8"	26
340302	3/8"	1/4"	28
440403	1/2"	3/8"	38
440406	1/2"	3/4"	48
640604	3/4"	1/2"	58
640608	3/4"	1"	63
841006	1"	3/4"	72
841012	1"	1-1/2"	90



Universal joint (CR-MO Steel)

Model	Male Drive	D (mm)	L (mm)	Weight (g)
700107	3/8"	20	55	74
700108	1/2"	24	75	145
700109	3/4"	44	106	365
700110	1"	54	130	620
700111	1-1/2"	86	182	1771



Extension bar w/Steel Ball (CR-MO Steel)

Model	Male Drive	D (mm)	L (mm/inch)	Weight (g)
340075	3/8"	19	75 (3")	90
340150	3/8"	19	150 (6")	170
440075	1/2"	25	75 (3")	170
440125	1/2"	25	125 (5")	230
440150	1/2"	25	150 (6")	262
440250	1/2"	25	250 (10")	420
640100	3/4"	44	100 (4")	600
640150	3/4"	44	150 (6")	680
640175	3/4"	44	175 (7")	770
640200	3/4"	44	200 (8")	880
640250	3/4"	44	250 (10")	1030

Extension bar w/Pin Hole (CR-MO Steel)

Model	Male Drive	D (mm)	L (mm/inch)	Weight (g)
840100	1"	54	100 (4")	1000
840150	1"	54	150 (6")	1200
840175	1"	54	175 (7")	1350
840200	1"	54	200 (8")	1580
840250	1"	54	250 (10")	1960
840300	1"	54	300 (12")	2150
840330	1"	54	330 (13")	2240



O-Ring

Model	Drive	Size (mm)	Size (inch)	D (mm)	I.D. (mm)
R303513	3/8"	6~12	5/16~7/16	3.5	13
R303516	3/8"	13~22	1/2~7/8	3.5	16
R404019	1/2"	8~14	5/16~9/16	4.0	19
R404024	1/2"	15~32	5/8~1-1/4	4.0	24
R605036	3/4"	17~49	11/16~1-15/16	5.0	36
R605045	3/4"	50~70	2~2-3/4	5.0	45
R807042	1"	17~70	11/16~2-3/4	7.0	45
R807077	1"	75~90	2-13/16~3-3/4	7.0	77



Pin

Model	Drive	Size (mm)	Size (inch)	D (mm)	L (mm)
P302514	3/8"	6~12	5/16~7/16	2.5	14
P302516	3/8"	13~22	1/2~7/8	2.5	16
P403020	1/2"	8~14	5/16~9/16	3.0	20
P403025	1/2"	15~32	5/8~1-1/4	3.0	25
P604035	3/4"	17~49	11/16, 1-15/16	4.0	35
P604045	3/4"	50~70	2, 2-3/4	4.0	45
P805045	1"	17~70	11/16, 2-3/4	5.0	45
P805075	1"	75~90	2-13/16, 3-3/4	5.0	75



Electric
Screwdrivers



Cordless
Tools



Industrial
Air Screwdriver



Oil Pulse
Tools



Compressors
& Air Pump



Air Nailer
& Air Stapler



Impact
Sockets



Industrial
Air Sander



Torque
Wrench



Automatic
Screw Feeder



SUMAKE®

SUMAKE Industrial Co., Ltd.

4F, NO.351, Yangguang St., Neihu District, Taipei, Taiwan

Tel: 886-2-2659-3500 Fax: 886-2-2659-3700

<http://www.sumake.com> <http://www.aircompressors.com.tw>

E-mail: sales@sumake.com.tw

ISO 9001



Certificate TW04/02301QA

©SUMAKE We reserve the right to make changes without prior notice.



2015SOC