

AIR COMPRESSORS & **CAST IRON** AIR PUMPS INDUSTRIAL

ISO 9001



Certificate TW04/02301



SUMAKE®

MAKE JOBS BETTER THAN EVER

CE

Air Compressors

Presentation

SUMAKE is your best one stop for Air pump and Belt type air compressor resource system, provides products, services and solutions that enhance our customers' energy efficiency, productivity and operations. Our diverse and innovative products ranged from 1.5 HP to 10 HP, also have excellent source for different accessories. (Jetco Kit, Air tools, Electric Motor....)

Certified to **ISO 9001**, We are founded in 2000 by both **SUMAKE** (Taiwan) Company and **LACME** (France) Company, which is the specialist in France for Industrial and Agriculture market. Possessed with 55 years experience in manufacturing of Air Pumps, Air compressors and Air tools.

Our compressor facility is located near Shanghai. While our customers are all abroad, this location is a real advantage to export the high quality products globally on the best time limit.

Here we would like to emphasize that our product different with China is the high quality. French engineers supervise the production and all spare parts are 100% checked.

Additionally, all finished products are strictly controlled before shipment. R&D team develop new models every year. Consequently, **SUMAKE** is your best choice to get good quality Air pumps & Air compressor from China.



Customer Visited



Assembly Line



Assembly Line



Assembly Line



Spill Oil Test



Air Leakage Test



Running Test



Spray Air Pump



Packing

**LB19-2-20MI-50**

2HP Pump, 50L Tank W/CE,
2HP Mono phase Iron Motor

LB19-2-20TI-50

2HP Pump, 50L Tank W/CE,
2HP Tri. phase Iron Motor

**LB30-2-30MA-50**

3HP Pump, 50L Tank W/CE,
3HP Mono phase Alum. Motor

**LB30C-2-30MI-50**

3HP Pump, 50L Tank W/CE,
3HP Mono phase Iron Motor

**LB19-2-20MI-90**

2HP Pump, 90L Tank W/CE,
2HP Mono phase Iron Motor

**LB30-2-30MA-90**

3HP Pump, 90L Tank W/CE,
3HP Mono phase Alum. Motor

LB30-2-30MA-100

3HP Pump, 100L Tank,
3HP Mono phase Alum. Motor

**LB30C-2-30TI-90**

3HP Pump, 90L Tank W/CE,
3HP Tri. phase Iron Motor

Specification:

Model					Hertz													
	Motor		Voltage	Ampere		Speed(r.p.m.)	Air Inlet	Air Outlet	Tank Capacity	Working Pressure	Maximum Pressure						Net Weight	Outer Dimension
	HP	Kw	V	A		Hz	Motor	Pump	CFM	l/min	6 bar 90 Psi						8 bar 115 Psi	Bar
LB19-2-20MI-50	2	1.5	220	3.2	50	2800	1400	9.3	263	148L/min 5.2CFM	133L/min 4.7CFM	50	8	10	68.5	920x385x690		
LB19-2-20TI-50	2	1.5	380	3.2	50	2800	1400	9.3	263	148L/min 5.2CFM	133L/min 4.7CFM	50	8	10	68.5	920x385x690		
LB19-2-20MI-90	2	1.5	220	3.3	50	2800	1400	9.3	263	148L/min 5.2CFM	133L/min 4.7CFM	90	8	10	83.5	1160x400x770		
LB30-2-30MA-50	3	2.2	220	3.3	50	2878	1103	11.9	336	200L/min 7.1CFM	183L/min 6.5CFM	50	8	10	72	850x450x860		
LB30-2-30MA-90	3	2.2	220	11.3	50	2878	1103	11.9	336	200L/min 7.1CFM	183L/min 6.5CFM	90	8	10	93	1150x400x800		
LB30-2-30MA-100	3	2.2	220	11.3	50	2878	1103	11.9	336	200L/min 7.1CFM	183L/min 6.5CFM	100	8	10	93	1150x400x800		
LB30C-2-30MI-50	3	2.2	220	11.3	50	2860	1126	12.1	343	200L/min 7.1CFM	183L/min 6.5CFM	50	8	10	72	850x450x860		
LB30C-2-30TI-90	3	2.2	380	11.3	50	2860	1126	12.1	343	200L/min 7.1CFM	183L/min 6.5CFM	90	8	10	93	1150x400x800		

Air Compressors

LB40-3-40TI-90

4HP Pump, 90L Tank W/CE,
4HP Tri. phase Iron Motor

LB40-3-40TI-100

4HP Pump, 100L Tank,
4HP Tri. phase Iron Motor

LB50-2-55TI-270

5HP Pump, 270L Tank,
5.5HP Tri. phase Iron Motor

LB75-2-75TI-270

7.5HP Pump, 270L Tank,
7.5HP Tri. phase Iron Motor

LB40-3-40TI-270

4HP Pump, 270L Tank,
4HP Tri. phase Iron Motor

LT100NV-100TI-270

10HP Pump, 270L Tank,
10HP Tri. phase Iron Motor

Specification:

Model																
	Motor		Voltage	Ampere	Hertz	Speed(r.p.m.)		Air Inlet		Air Outlet		Tank Capacity	Working Pressure	Maximum Pressure	Net Weight	Outer Dimension L x W x H
	HP	Kw	V	A	Hz	Motor	Pump	CFM	l/min	6 bar 90 Psi	8 bar 115 Psi	ℓ	Bar	Bar	Kg	mm
LB40-3-40TI-90	4	3	380	6.9	50	2800	1200	19.4	549	369L/min 13.0CFM	340L/min 12.0CFM	90	8	10	102	1150x400x800
LB40-3-40TI-100	4	3	380	6.9	50	2800	1200	19.4	549	369L/min 13.0CFM	340L/min 12.0CFM	100	8	10	102	1150x400x800
LB40-3-40TI-270	4	3	380	6.9	50	2800	1200	19.4	549	369L/min 13.0CFM	340L/min 12.0CFM	270	8	10	202.5	1550x520x1050
LB50-2-55TI-270	5.5	4.1	380	7.6	50	2910	1175	25	708	481L/min 17CFM	446L/min 15.8CFM	270	8	10	223.5	1550x520x1060
LB75-2-75TI-270	7.5	5.5	380	11.7	50	2898	1192	38.1	1078	733L/min 25.9CFM	679L/min 24.0CFM	270	8	10	248.5	1550x525x1135
LT100NV-100TI-270	10	7.5	380	15.8	50	2900	786	42.8	1211	823L/min 29.1CFM	763L/min 26.9CFM	270	12.5	14	354	1620x640x1390

**LB19-2-20MI-MB**

2HP Pump,
2HP Mono phase Iron Motor

LB19-2-20TI-MB

2HP Pump,
2HP Tri. phase Iron Motor

**LB30-2-30MA-MB**

3HP Pump,
3HP Mono phase Alum. Motor

LB30-2-30TA-MB

3HP Pump,
3HP Tri. phase Alum. Motor

**LB30C-2-30MA-MB**

3HP Pump,
3HP Mono phase Alum. Motor

LB30C-2-30MI-MB

3HP Pump,
3HP Mono phase Iron Motor

**LB40-3-40TI-MB**


4HP Pump,
4HP Tri. phase Iron Motor

**LB50-2-55TI-MB**


5HP Pump,
5.5HP Tri. phase Iron Motor

**LB75-2-75TI-MB**

7.5HP Pump,
7.5HP Tri. phase Iron Motor

**LT100NV-100TI-MB**

10HP Two Stages Pump,
10HP Tri. phase Iron Motor

Model	 Motor		 Voltage Ampere Hertz			 Speed		 Working Maximum Pressure Pressure		Main Board Assembly Dimension (cm) 					
	HP	Kw	V	A	Hz	r.p.m.		Bar	Bar	Tank Size	A	B	C	D	E
LB19-2-20MI-MB	2	1.5	220	3.2	50	2800	1400	8	10	For 50L Tank	430	570	82.5	230	352.5
										For 100L Tank	500	640	82.5	230	352.5
LB19-2-20TI-MB	2	1.5	380	3.2	50	2800	1400	8	10	For 50L Tank	430	570	82.5	230	352.5
										For 100L Tank	500	640	82.5	230	352.5
LB30-2-30MA-MB	3	2.2	220	11.3	50	2878	1103	8	10	For 50L Tank	430	570	82.5	230	352.5
										For 100L Tank	500	640	82.5	230	352.5
LB30-2-30TA-MB	3	2.2	380	11.3	50	2878	1103	8	10	For 50L Tank	430	570	82.5	230	352.5
										For 100L Tank	500	640	82.5	230	352.5
LB30C-2-30MA-MB	3	2.2	220	11.3	50	2860	1126	8	10	For 50L Tank	430	570	82.5	230	352.5
										For 100L Tank	500	640	82.5	230	352.5
LB30C-2-30MI-MB	3	2.2	220	11.3	50	2860	1126	8	10	For 50L Tank	430	570	82.5	230	352.5
										For 100L Tank	500	640	82.5	230	352.5
LB40-3-40TI-MB	4	3.0	380	6.9	50	2800	1200	8	10	For 270L Tank	800	850	25	310	411.5
LB50-2-55TI-MB	5.5	4.1	380	7.6	50	2910	1175	8	10						
LB75-2-75TI-MB	7.5	5.5	380	11.7	50	2898	1192	8	10						
LT100NV-100TI-MB	10	7.45	380	11.7	50	2898	1192	10	12						

Air Compressors



LB-19-2 2HP



LB-29 3HP



LB-30-4 3HP



LB-40-4 4HP



LB-19C-2 2HP
LB-29C-2 3HP
High Efficiency Air Cooling System



LB-30C-3 3HP
High Efficiency Air Cooling System



LB-40C 4HP
High Efficiency Air Cooling System


Specification:

Model	Motor		Speed of the pump (r.p.m.)	Air Delivery		Working Pressure (bar)	Max. Pressure (bar)	Cylinder Diameter (mm)	Cylinder Stroke (mm)	No. of Cylinder (unit)	Net Weight (kgs)	Outside Dimension (mm)
	HP	Kw		l/min	cfm							
LB-19-2	2	1.5	1,400	263	9.3	8	10	51	46	2	16.0	370x280x320
LB-29	3	2.2	1,100	335	11.8	8	10	65	46	2	23.0	390x290x330
LB-30-4	3	2.2	1,100	335	11.8	8	10	65	46	2	18.4	390x285x330
LB-40-4	4	3.0	1,200	549	19.4	8	10	65	46	3	25.0	445x310x390
LB-19C-2	2	1.5	1,400	263	9.3	8	10	51	46	2	22.0	450x290x360
LB-29C-2	3	2.2	1,100	335	11.8	8	10	65	46	2	24.0	450x290x360
LB-30C-3	3	2.2	1,100	335	11.8	8	10	65	46	2	26.0	450x300x360
LB-40C	4	3.0	1,200	549	19.4	8	10	65	46	3	33.0	520x330x425

**LB-50-4** 5HP**LB-75-4** 7.5HP**LT-55-4** 5.5HP
Two Stages Pump**LT-100NV** 10HP
Two Stages Pump

Specification:

Model	Motor		Speed of the pump (r.p.m.)	Air Delivery		Working Pressure (bar)	Max. Pressure (bar)	Cylinder Diameter (mm)	Cylinder Stroke (mm)	No. of Cylinder (unit)	Net Weight (kgs)	Outside Dimension (mm)
	HP	Kw		l/min	cfm							
LB-50-4	5	3.75	800	482	17.0	8	10	80	60	2	36.0	465X375X420
LB-75-4	7.5	5.5	800	723	25.5	8	10	80	60	3	40	575X410X485
LT-55-4	5.5	4.0	1,000	603	21.3	10	12.5	2x80, 1x65	60	3	54.0	540x430x500
LT-100NV	10	7.5	800	1,232	43.5	12.5	14	2x105, 2x55	89	4	127	700x520x580



SUMAKE®

SUMAKE Industrial Co., Ltd.

4F, NO.351, Yangguang St., Neihu District, Taipei, Taiwan, Zip:114-91

Tel: 886-2-2659-3500

Fax: 886-2-2659-3700

<http://www.sumake.com>

<http://www.aircompressors.com.tw>

e-mail: sales@sumake.com.tw

Factory:

LACME-DAFENG CO.,LTD.

NO.18,DAFENG XIKANG SOUTH ROAD,224100,JIANGSU PROVINCE ,CHINA.

<http://www.lacme.com>

8101



CATA-CPC18